

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	(temporal\$5 NEAR5 stor\$5 NEAR4 brightness)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 09:56
S2	67	("ac" WITH battery WITH brightness)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:01
S3	3	("ac" WITH battery WITH brightness WITH stor\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:03
S4	0	(user ADJ1 profile) WITH brightness WITH battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:05
S5	7288	713/300-340.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:29
S6	1931	713/320.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:29
S7	71	713/320.CCLS. AND brightness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:30
S8	10	(battery NEAR3 (brightness OR (back ADJ1 light))) NEAR5 stor\$5	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:58
S9	42	(power ADJ1 profile) WITH battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:59
S10	9	(power ADJ1 profile) WITH "ac"	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:59
S11	2	S9 AND S10	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 10:59
S12	2077	(profile NEAR5 battery)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:01
S13	1637	(profile NEAR3 battery)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:01

S14	456	(profile NEAR3 "ac")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:01
S15	11	S13 AND S14	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:02
S16	1	"6040781".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:03
S17	1	"5854617".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:04
S18	18	("4748546" "4945350" "4975692" "5030943" "5065357" "5078476" "5099178" "5130907" "5144292" "5184117" "5225822" "5247286" "5313225" "5315695" "5384577" "5406305" "5440324" "5493685").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/22 11:04
S19	0	(after ADJ2 power ADJ1 "on")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:07
S20	69	("5854617").URPN.	USPAT	OR	ON	2008/05/22 11:07
S21	151	(user ADJ1 brightness)	USPAT	OR	ON	2008/05/22 11:10
S22	1	(user ADJ1 brightness) NEAR5 stor\$5	USPAT	OR	ON	2008/05/22 11:10
S23	13	("4760389" "5029982" "5153756" "5157525" "5270818" "5406305" "5554912" "5760760" "5818553" "5952992" "6094185" "6256019" "6618045").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/22 11:12

S24	41	("4760389" "5029982" "5153756" "5157525" "5270818" "5406305" "5554912" "5760760" "5818553").PN. OR ("5952992").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/22 11:14
S25	327	(battery NEAR1 profile)	USPAT	OR	ON	2008/05/22 11:18
S26	3	S25 AND (345/102. OCLS. OR 713/300-340. OCLS. OR "315"/\$. OCLS.)	USPAT	OR	ON	2008/05/22 11:19
S27	401	brightness NEAR5 ((turn\$5 OR power) ADJ1 off)	USPAT	OR	ON	2008/05/22 11:32
S28	23	S27 SAME battery	USPAT	OR	ON	2008/05/22 11:33
S29	8	("5272327" "5786801" "5996082" "6252355" "6404145").PN. OR ("6961044").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/22 11:35
S30	22	(maintain\$5 NEAR3 brightness) WITH ((turn\$5 OR power) ADJ1 off)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:37
S31	1	"20040135887".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:42
S32	5547	((maintain\$5 OR keep \$5) NEAR3 brightness)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:51
S33	81	((maintain\$5 OR keep \$5) NEAR3 brightness) WITH battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:51
S34	154178	(stor\$5 NEAR5 separat \$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:52
S35	14	((stor\$5 NEAR2 brightness) NEAR5 separat\$5)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:52
S36	177	(power ADJ1 profile). AB.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:53

S37	23	S36 AND battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/22 11:53
S38	236	(user NEAR3 (prefer\$5 OR defin\$5)) NEAR5 brightness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:42
S39	54	S38 AND battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:42
S40	1	"20020090912".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:44
S41	0	"20055152294".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:44
S42	0	"20055152294".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:44
S43	1	"4908523".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:45
S44	1	"7084921".PN.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:48
S45	80	(battery NEAR1 brightness)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:51
S46	2844	(setting OR profile) NEAR2 battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:57
S47	4599	(setting OR profile) NEAR3 brightness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:57
S48	23	S46 AND S47	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 10:57
S49	8784	(battery) NEAR5 ((power OR turn\$5) ADJ1 off)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:03
S50	474	((detect\$5 OR determin \$5) NEAR3 (battery)) NEAR5 ((power OR turn \$5) ADJ1 off)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:04
S51	0	S50 AND 345/102. OCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:04

S52	31	S50 AND brightness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:05
S53	1653	345/102.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:07
S54	365	S53 AND battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:07
S55	684	(battery ADJ1 mode)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:28
S56	9	(battery ADJ1 mode) WITH brightness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:28
S57	3489	713/300.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:54
S58	9071	713/300-400.CCLS.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:54
S59	0	(brightness NEAR5 battery NEAR5 stor\$5) AND S58	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 11:55
S60	13933	(power ADJ1 (profile OR setting))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:05
S61	236	stor\$5 NEAR3 (power ADJ1 (profile OR setting))	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:06
S62	10111	(profile OR setting) WITH brightness	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:06
S63	174	S60 AND S62	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:06
S64	1	S61 AND S62	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:06
S65	33	S63 AND ("345"/\$. CCLS. OR "715"/\$. CCLS.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:06
S66	44	S63 AND ("345"/\$. CCLS. OR "713"/\$. CCLS.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:07

S67	315	(stored ADJ1 brightness)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:10
S68	32	(stored ADJ1 brightness) WITH (mode OR setting OR profile)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:10
S69	99	(user NEAR3 prefer\$5 NEAR2 brightness)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:13
S70	0	(user NEAR3 prefer\$5 NEAR2 brightness) WITH battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:13
S71	4	(user NEAR3 prefer\$5 NEAR2 brightness) SAME battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:25
S72	928	(prefer\$5 NEAR3 brightness)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:26
S73	59	S62 WITH battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:27
S74	5	S72 WITH battery	US-PGPUB; USPAT; EPO; JPO	OR	ON	2008/05/23 12:27

5/ 26/ 2008 9:52:30 PM

H:\ East_SearchHistory\ 10695753_(3).wsp